

Key Features and Benefits

- All Bag Materials Silicone-Free
- Size 1 – Single Length 7" x 16"
- Size 2 – Double Length 7" x 32"
- Sewn or Welded Construction
- Size 1 – Maximum Flow Rate 90 GPM
- Size 2 – Maximum Flow Rate 180 GPM
- Sewn Bags Have Sewn-In Cloth Handles
- Flanged Bags Have Molded-In Handles
- Easy Change-Out Reduces Down Time
- Compact, for Easy Disposal
- Versatile Micron Ratings Will Accommodate Most Applications

Product Options

- 1 Micron (Material – Polypropylene and Polyester Needled Felt)
- 5 Microns (Material – Polypropylene and Polyester Needled Felt)
- 10 Microns (Material – Polypropylene and Polyester Needled Felt)
- 25 Microns (Material – Polypropylene and Polyester Needled Felt)
- 50 Microns (Material – Polypropylene and Polyester Needled Felt)
- 100 Microns (Material – Polypropylene and Polyester Needled Felt)
- 150 Microns (Material – Polypropylene and Nylon Monofilament Mesh)
- 200 Microns (Material – Polypropylene and Polyester Needled Felt)
- 400 Microns (Material – Polypropylene and Nylon Monofilament Mesh)
- 600 Microns (Material – Polypropylene and Nylon Monofilament Mesh)
- 800 Microns (Material – Polypropylene and Nylon Monofilament Mesh)

Material Classes

- Glazed Polypropylene Needled Felt - Rated up to 200°F
- Singed Polyester Needled Felt - Rated up to 300°F
- Polypropylene Monofilament Mesh - Rated up to 200°F
- Nylon Monofilament Mesh - Rated up to 325°F